INDEX

ABALDE, J. R. *see* CHIAN, A. C.-L. and ABALDE, J. R.

ALEXEFF, I. *see* EL-ZEIN, Y., YI, S., LONNGREN, K. E., ALEXEFF, I., SHERIDAN, T. E. and HSUAN, H.

ALVES, M. V. *see* PAES, A. C. J., ALVES, M. V., GALVÃO, R. M. O., SERBETO, A. and HUSSEIN, M. S.

AMENDT, P. *see* RAHMAN, H. U., BHATTACHARYA, D., RAJPOOT, S. and AMENDT, P.

ARUNASALAM, V. Two-stream cyclotron radiative instabilities due to the marginally mirror-trapped fraction of fusion alphas in tokamaks, 523

BHATTA, R. P. *see* KALITA, B. C. and BHATTA, R. P.

BHATTACHARYA, D. *see* RAHMAN, H. U., BHATTACHARYA, D., RAJPOOT, S. and AMENDT, P.

BIALYNICKI-BIRULA, I. Review of *Astrophysical Fluid Dynamics*, by E. Battaner, 489

BONDESON, A. *see* WAHLBERG, C. and BONDESON, A.

BOOK, D. L. and VALDIVIA, J. A. Viscous drag and the differential rotation of the Earth's core, 231

BOROVSKY, J. E., ELPHIC, R. C., FUNSTEN, H. O. and THOMSEN, M. F. The Earth's plasma sheet as a laboratory for flow turbulence in high-β MHD, 1

BRIO, M. *see* WEBB, G. M., BRIO, M., ZANK, G. P. and STORY, T.

BROWN, M. R. Experimental evidence of rapid relaxation to large-scale structures in turbulent fluids: selective decay and maximal entropy, 203

BRUMA, C., CUPERMAN, S. and KOMOSHVILI, K. Resistive effects on helicity-wave current drive generated by Alfvén waves in tokamak plasmas, 805

BRUMA, C. *see* KOMOSHVILI, K., CUPERMAN, S. and BRUMA, C.

CALLY, P. S. and MADDISON, S. T. A modal view of oscillations in inhomogeneous compressible MHD, 591

CHAN, K.-W. *see* KO, C.-M., CHAN, K.-W. and WEBB, G. M.

CHEN, H. Entropy, fluctuation and transport in lattice gas systems with generalized semi-detailed balance, 175

CHEN, S. and KRAICHNAN, R. H. Inhibition of turbulent cascade by sweep, 187

CHEN, S. *see* MARTÍNEZ, D. O., CHEN, S., DOOLEN, G. D., KRAICHNAN, R. H., WANG, L.-P. and ZHOU, Y.

CHIAN, A. C.-L. and ABALDE, J. R. Fundamental plasma radiation generated by a travelling Langmuir wave: hybrid stimulated modulational instability, 753

CORSO, G. *see* PAKTER, R., CORSO, G. and RIZZATO, F. B.

CUPERMAN, S. *see* BRUMA, C., CUPERMAN, S. and KOMOSHVILI, K.

CUPERMAN, S. *see* KOMOSHVILI, K., CUPERMAN, S. and BRUMA, C.

DAHLBURG, R. B. Transition to turbulent electric current sheet reconnection, 35

DAS, C. Evolution of magnetic moment in the interaction of waves with kinetically described plasmas, 343

Das, G. C. and Sen, K. M. Solitary waves and corresponding double layers in relativistic plasmas with multitemperature electrons, 491

Dmitrienko, I. S. Nonlinear effects in Alfvén resonance, 311

Doolen, G. D. *see* Martínez, D. O., Chen, S., Doolen, G. D., Kraichnan, R. H., Wang, L.-P. and Zhou, Y.

Elphic, R. C. *see* Borovsky, J. E., Elphic, R. C., Funsten, H. O. and Thomsen, M. F.

El-Zein, Y., Yi, S., Lonngren, K. E., Alexeff, I., Sheridan, T. E. and Hsuan, H. Plasma sheath evolution from perturbed electrodes in a negative-ion plasma, 47

Eriksson, L.-G. *see* Wolle, B., Jauch, Z. and Eriksson, L.-G.

Erofeev, V. I. Derivation of an equation for three-wave interactions based on the Klimontovich–Dupree equation, 273

Funsten, H. O. *see* Borovsky, J. E., Elphic, R. C., Funsten, H. O. and Thomsen, M. F.

Galvão, R. M. O. *see* Paes, A. C. J., Alves, M. V., Galvão, R. M. O., Serbeto, A. and Hussein, M. S.

Ghosh, S. and Goldstein, M. L. Anisotropy in Hall MHD turbulence due to a mean magnetic field, 129

Goldstein, M. L. *see* Ghosh, S. and Goldstein, M. L.

Hellberg, M. A. *see* Verheest, F. and Hellberg, M. A.

Hsuan, H. *see* El-Zein, Y., Yi, S., Lonngren, K. E., Alexeff, I., Sheridan, T. E. and Hsuan, H.

Huang, G.-L., Wang, D.-Y. and Mao, D.-Y. The effects of propagation angle of waves and pitch angle of electrons on maser and beam–plasma instabilities, 851

Hussein, M. S. *see* Paes, A. C. J., Alves, M. V., Galvão, R. M. O., Serbeto, A. and Hussein, M. S.

Ilin, K. I. *see* Vladimirov, V. A., Moffatt, H. K. and Ilin, K. I.

Infeld, E. Review of *Force Free Magnetic Fields, Solitons, Topology and Applications*, by G. E. Marsh, 695

Jamitzky, F. and Scholer, M. Solutions of the hydromagnetic equation with magnetic null points: uniform-resistivity case, 741

Jauch, Z. *see* Wolle, B., Jauch, Z. and Eriksson, L.-G.

Kaiser, R. and Salat, A. New classes of three-dimensional ideal-MHD equilibria, 425

Kalita, B. C. and Bhatta, R. P. Kinetic Alfvén solitons in a low-beta plasma, 235

Kaup, D. J. and Thomas, G. E. Variational principle for crossed-field devices, 765

Kingsep, A. and Munier, A. On the possible role of anomalous resistivity in POS, 501

Kinney, R. and McWilliams, J. C. Magnetohydrodynamic equations under anisotropic conditions, 73

Kneller, M. *see* Schlickeiser, R. and Kneller, M.

Ko, C.-M., Chan, K.-W. and Webb, G. M. Cosmic-ray-modified shocks with injection in the hydrodynamic approach. Part 1. Injection linear in the thermal pressure, 677

Kolinsky, H. and Schamel, H. Arbitrary potential drops between collector and emitter in pure electron diodes, 403

Komoshvili, K., Cuperman, S. and Bruma, C. Spectral dependence, efficiency and

localization of non-inductive current drive via helicity injection by global Alfvén waves in tokamak plasmas, 611

Komoshvili, K. *see* Bruma, C., Cuperman, S. and Komoshvili, K.

Kraichnan, R. H. *see* Chen, S. and Kraichnan, R. H.

Kraichnan, R. H. *see* Martínez, D. O., Chen, S., Doolen, G. D., Kraichnan, R. H., Wang, L.-P. and Zhou, Y.

Krasheninnikov, S. *see* Vahala, G., Vahala, L., Morrison, J., Krasheninnikov, S. and Sigmar, D.

Li, D.-Y., Mao, D.-Y. and Wang, D.-Y. Normal and anomalous explosion mechanisms for nonlinear instabilities in three-wave coupling, 861

Lizunov, G. V. Generation of Bernstein modes in space and laboratory plasmas by injection of an electron beam, 387

Lonngren, K. E. *see* El-Zein, Y., Yi, S., Lonngren, K. E., Alexeff, I., Sheridan, T. E. and Hsuan, H.

McWilliams, J. C. *see* Kinney, R. and McWilliams, J. C.

Maddison, S. T. *see* Cally, P. S. and Maddison, S. T.

Mao, D.-Y. *see* Huang, G.-L., Wang, D.-Y. and Mao, D.-Y.

Mao, D.-Y. *see* Li, D.-Y., Mao, D.-Y. and Wang, D.-Y.

March, N. H. and Tosi, M. P. Thermal conduction in strongly coupled plasmas: especially liquid alkali metals, 121

Martínez, D. O., Chen, S., Doolen, G. D., Kraichnan, R. H., Wang, L.-P. and Zhou, Y. Energy spectrum in the dissipation range of fluid turbulence, 195

Melrose, D. B. Covariant form of Trubnikov's response tensor for a relativistic magnetized thermal plasma, 479

Minardi, E. Power thresholds of the L–H transition described by a global bifurcation of tokamak equilibrium, 449

Moffatt, H. K. *see* Vladimirov, V. A., Moffatt, H. K. and Ilin, K. I.

Morrison, J. *see* Vahala, G., Vahala, L., Morrison, J., Krasheninnikov, S. and Sigmar, D.

Munier, A. *see* Kingsep, A. and Munier, A.

Murtaza, G. and Yu, M. Y. Exact wave solutions for a cylindrically bounded magnetized plasma, 835

Nejoh, Y. N. Effects of electron-beam density on large-amplitude ion-acoustic waves in a plasma with trapped electrons, 841

Nowak, S. and Orefice, A. Quasi-optical description of reflection focusing and plasma cut-offs of electron cyclotron Gaussian beams, 349

Orefice, A. *see* Nowak, S. and Orefice, A.

Paes, A. C. J., Alves, M. V., Galvão, R. M. O., Serbeto, A. and Hussein, M. S. Effect of beam density on nonlinear amplification of inverse-bremsstrahlung electron acceleration, 697

Pakter, R., Corso, G. and Rizzato, F. B. Particle acceleration by large-amplitude waves revisited, 785

Percival, D. J. A novel construction of the response tensors for a collisionless unmagnetized plasma, 575

Popel, S. I. Plasma stochasticity and modulational interactions of waves associated with lower-hybrid resonance, 363

Preinhaelter, J., Vahala, L. and Vahala, G. Role of higher spatial harmonics in the launched LH spectrum in the ponderomotive effects at the plasma edge, 555

Rahman, H. U., Bhattacharya, D., Rajpoot, S. and Amendt, P. Diamagnetic effects during the early stages of star formation, 535

Rajpoot, S. *see* Rahman, H. U., Bhattacharya, D., Rajpoot, S. and Amendt, P.

Rizzato, F. B. *see* Pakter, R., Corso, G. and Rizzato, F. B.

Sah, O. P. Nonlinear propagation of lower-hybrid-like waves in a dusty plasma, 299

Salat, A. *see* Kaiser, R. and Salat, A.

Sayasov, Yu. S. A nonlinear theory of charged-particle stopping in non-ideal plasmas, 373

Schamel, H. *see* Kolinsky, H. and Schamel, H.

Schlickeiser, R. and Kneller, M. Relativistic kinetic theory of waves in isotropic plasmas, 709

Scholer, M. *see* Jamitzky, F. and Scholer, M.

Sen, K. M. *see* Das, G. C. and Sen, K. M.

Serbeto, A. *see* Paes, A. C. J., Alves, M. V., Galvão, R. M. O., Serbeto, A. and Hussein, M. S.

Sharma, S. C. Excitation of upper-hybrid waves by a rotating relativistic electron beam in a plasma-filled large-orbit gyrotron, 545

Sheridan, T. E. *see* El-Zein, Y., Yi, S., Lonngren, K. E., Alexeff, I., Sheridan, T. E. and Hsuan, H.

Sigmar, D. *see* Vahala, G., Vahala, L., Morrison, J., Krasheninnikov, S. and Sigmar, D.

Siva Rama Prasad, P. V. and Tewari, D. P. Effect of a stochastic electron background on low-m tearing modes, 247

Sosenko, P. P. Quasiparticle invariants and energy tranfer between particles and fields, 259

Story, T. *see* Webb, G. M., Brio, M., Zank, G. P. and Story, T.

Strauss, H. R. Reduced MHD in nearly potential magnetic fields, 83

Tewari, D. P. *see* Siva Rama Prasad, P. V. and Tewari, D. P.

Thomas, G. E. *see* Kaup, D. J. and Thomas, G. E.

Thomsen, M. F. *see* Borovsky, J. E., Elphic, R. C., Funsten, H. O. and Thomsen, M. F.

Tosi, M. P. *see* March, N. H. and Tosi, M. P.

Turner, L. Remarks on statistical mechanics of discrete and continuous media with application to the magnetohydrodynamic dynamo, 59

Uhm, H. S. Evolution of a preformed electron beam propagating through a conducting cylinder, 515

Vahala, G., Vahala, L., Morrison, J., Krasheninnikov, S. and Sigmar, D. K–ϵ compressible 3D neutral fluid turbulence modelling of the effect of toroidal cavities on flame-front propagation in the gas-blanket regime for tokamak divertors, 155

Vahala, G. *see* Preinhaelter, J., Vahala, L. and Vahala, G.

Vahala, L. *see* Preinhaelter, J., Vahala, L. and Vahala, G.

Vahala, L. *see* Vahala, G., Vahala, L., Morrison, J., Krasheninnikov, S. and Sigmar, D.

Valdivia, J. A. *see* Book, D. L. and Valdivia, J. A.

Verheest, F. and Hellberg, M. A. Bohm sheath criteria and double layers in multispecies plasmas, 465

Vladimirov, V. A., Moffatt, H. K. and Ilin, K. I. On general transformations and variational principles for the magnetohydrodynamics of ideal fluids. Part III. Stability criteria for axisymmetric flows, 89

Wahlberg, C. and Bondeson, A. Stability analysis of the ideal $m = n = 1$ kink mode in toroidal geometry by direct expansion of the hydromagnetic equations, 327

Wang, D.-Y. *see* Huang, G.-L., Wang, D.-Y. and Mao, D.-Y.

Wang, D.-Y. *see* Li, D.-Y., Mao, D.-Y. and Wang, D.-Y.

Wang, L.-P. *see* Martínez, D. O., Chen, S., Doolen, G. D., Kraichnan, R. H., Wang, L.-P. and Zhou, Y.

Webb, G. M., Brio, M., Zank, G. P. and Story, T. Wave–wave interactions in two-fluid cosmic-ray hydrodynamics, 631

Webb, G. M. *see* Ko, C.-M., Chan, K.-W. and Webb, G. M.

Wolle, B., Jauch, Z. and Eriksson, L.-G. The influence of trapping effects on neutron production in NBI-heated tokamak plasmas, 793

Yi, S. *see* El-Zein, Y., Yi, S., Lonngren, K. E., Alexeff, I., Sheridan, T. E. and Hsuan, H.

Yu, M. Y. *see* Murtaza, G. and Yu, M. Y.

Zank, G. P. *see* Webb, G. M., Brio, M., Zank, G. P. and Story, T.

Zhou, Y. *see* Martínez, D. O., Chen, S., Doolen, G. D., Kraichnan, R. H., Wang, L.-P. and Zhou, Y.